

ONE HAND PRESSURE SPRAYERS

SOLO 420



SPECIFICATIONS:

- Chemically resistant Viton seals
- Multi-directional nozzle
- Pressure release valve
- Telescoping wand adjusts from 12" to 24"
- 2 liter capacity
- Light weight – 1.55 lbs.

Stock No.	Description	Price/Each
22060408	2SOLO	\$18.35

SOLO PRESSURE SPRAYERS

- Extremely heavy-duty HDPE stands up to the toughest jobs
- Rugged piston pump for quick pressurization
- Large 4.5" tank opening for effortless filling and cleaning

Stock No.	Model	Capacity	Wand	Hose	Weight	Price
22060102	454	1.25 gal	28"	48"	5 lbs	\$34.50
22060104	456	2.25 gal	28"	48"	6 lbs	37.65
22060106	457	3 gal	28"	48"	7 lbs	43.45



SOLO SPECIALTY SPRAYERS

SOLO 457 ROLLABOUT

Never lift a heavy sprayer again – just roll the sprayer to your work area! Large tank is designed to make quick work of big jobs. Includes the features as the 450 series plus:



- Heavy duty wheels designed to handle rough terrain and add stability when the tank is upright
- Integrated axle built directly into the tank, but does not protrude into the tank cavity.
- Extra long 72" hose makes it convenient to park the sprayer and go about remote spraying tasks.
- Oversized pump handle doubles as a pull handle.

SOLO FOAMING SPRAYERS

SOLO 456F

This unique sprayer is specifically designed for work with foaming chemicals. Foam increases the dwell time that many chemicals need to be effective, especially on vertical surfaces. Ideal for cleaning applications.



- Brass wand for added durability
- Pressure gauge allows better control of foaming pressure.

Stock No.	Description	Price/Each
22060108	457 Rollabout	\$54.85
22060304	456F	53.85



SOLO SOLO PROFESSIONAL BACKPACK SPRAYERS

Solo Professional backpack sprayers are equipped with either a piston or diaphragm pump system: Piston Pump System – can produce a wide pressure range of up to 90 PSI and are capable of performing virtually every spraying task. Easily and effectively handle disinfectants, fertilizers, herbicides, pesticides, and formulations for tree, shrub, and plant protection. Diaphragm Pump System – capable of producing up to 60 PSI. The diaphragm is made of top quality Viton for its resistance to harsh chemicals and its long life expectancy. Inherent in the diaphragm pump design is its ability to pass small abrasive particles without damage to the pump assembly. The diaphragm pump is ideal for handling chemicals in wettable powder form as well as liquid formulations.

FEATURES AND BENEFITS

- Rugged metal frame.
- Extra large tank openings for easier filling and cleaning.
- 28" unbreakable wand provides excellent reach.
- Commercial shut-off valve with lock-on/lock-off feature minimizes user fatigue.
- Pump handle interchanges for left and right hand operation.
- 48" Nylon reinforced high-pressure hose provides extended reach.
- Four-nozzle assortment for multiple spraying tasks.
- Triple filtration system: filter basket, inlet screen and nozzle filter.



425 DELUXE & 475 DELUXE – SAME GREAT FEATURES OF THE 425 & 475, BUT WITH SOME KEY UPGRADES:

- Durable, professional grade, brass adjustable nozzle.
- Pressure gauge for better control of spray pressure.
- Adjustable pressure regulator with four positions: 15, 30, 45, 60 PSI
- Fold away handle with wand retainers for easy storage.
- Durable adjustable straps for easy carrying.

Stock No.	Model	Capacity	Pump	Weight	Price
22060220	425	4 gal	Piston	11 lbs	\$97.80
22060222	475	4 gal	Diaphragm	11 lbs	97.80
22060226	425DLX	4 gal	Piston	11 lbs	112.35
22060228	475DLX	4 gal	Diaphragm	11 lbs	112.35

3 & 5 gallon models, accessories and parts are available, call for pricing.

BP4 BATTERY POWERED BACK PACK SPRAYER DRAMM

The Dramm BP-4 Back Pack Sprayer is a rechargeable, battery powered sprayer that fits comfortably on your back. Operating at a maximum of 140 psi, the BP-4 atomizes spray solutions for excellent coverage. The battery operated pump ensures even flow rates, perfect for even application of plant growth regulators, insecticides, fungicides and other greenhouse chemicals.

- Even, Constant Spray
- Apply all formations of chemicals
- Great for growth regulators
- No hand pumping – tank not pressurized
- Fine mist to straight stream output
- Padded shoulder straps & back rest

SPECIFICATIONS:

- Tank Volume: 4 gallons
- Chemical Output Rate: Max. 1 gal/min
- Power Supply: 12V DC; rechargeable
- Length of Charge: 2 hours
- Weight when full: 58.5 lbs
- Shipping Weight: 15 lbs



Stock No.	Description	Price/Each
2201085	BP4	\$389.00

F.O.B. Wisconsin.

DRAMM COLDFOGGER

The 606S RRH Coldfogger™ and Mini Coldfogger are low-volume chemical applicator that can easily apply all formulations of pesticides, growth retardants, fungicides, vaccines, cleaning products and disinfectants using a highly concentrated spray solution. The low-volume method of applying chemical solutions diminishes costly run-off and greatly reduces application times. Very small droplets are generated to provide deep and even penetration of chemicals.

- Targeted, low volume chemical application
- Drastically reduce labor costs
- Low volume spraying



Model	600M	606S RRH
Chemical Tank Volume:	30 liters	45 liters
Chemical Output Rate:	1 liter/min	1 liter/min
System Rated Load:	7.8 amp	8.5 amp
Cord Length:	4'	11'
Hose Length:	75'	150'
Dimensions:	14" wide	18" wide

Stock No.	Model	Price/Each
2201103	600M Mini Coldfogger	\$2495.00
2201120	606S RRH Coldfogger	\$3595.00

F.O.B. Wisconsin.

The Dramm Autofog Automatically sprays areas up to 70,000 square feet with no applicator present. The ultra-fine cloud of droplets penetrates deep into the plant canopy covering all surfaces, ensuring excellent control of greenhouse pests and diseases. By creating billions of tiny spray droplets, the Autofog treats large areas with less chemical solution.

AUTOMATIC, SAFE, AND EFFECTIVE
 Timer Controlled Fog Application
 Safely Applies Pesticides Without an Applicator
 Effective Eradication of Pests and Diseases
 Smallest, Most Consistent Droplets Available
 Foggerhead Separates for Easy and Best Placement
 Four Different Models for Every Size Greenhouse

F.O.B. Wisconsin

FEATURES:

- Automatic chemical application
- Drastically reduce labor costs
- Low volume spraying

Stock No.	Description	Price/Each
2201102	MLVH-10A Autofog Mini 120 volt	\$2495.00
2201104	SLVH-20A Autofog 120 volt	5195.00
2201105	LVH-20A Autofog 220 volt	5995.00
2201107	DLVH-20A Autofog Dual Fogger Head 220 volt	10695.00

Model:	MLVH	SLVH	LVH	DLVH
Sq. Ft. Treated:	3,000	12,000	30,000	60,000
with additional fans:	5,000	26,000	70,000	140,000
Chemical Tank Volume:	8 liters	7 liters	14 liters	2 - 14 liters
Chemical Output Rate:	45 cc/min	45 cc/min	55 cc/min	2 - 55 cc/min
System Rated Load:	10.3 amp	11.1 amp	8 amp	14.2 amp
Compressor HP:	3/4 hp	3/4 hp	1 hp	2 - 1 hp
Compressor Output:	2.43cfm @ 21psi	2.43cfm @ 21 psi	4.06cfm @ 28.5psi	4.06cfm @ 28.5psi
Cord Length:	4'	33' (hose & cord)	100' (cord & hose)	2 - 100'
Dimensions:	10" wide	18.25" wide	18.25" wide	23" wide
Shipping Weight:	83 lbs	156 lbs	187 lbs	300 lbs.



PULSFOG



The PulsFOG advantage is speed. With models that can treat 150,000 square feet in as little as 45 minutes, the PulsFOG makes quick work of chemical application. The visible fog allows the applicator to stay out of the chemical spray, increasing the safety of the application. The PulsFOG saves time and money by reducing the labor needed to spray while reducing the amount of chemical needed to control your pests. By creating billions of tiny spray droplets that penetrate deep in the plant canopy. The PulsFOG treats large areas with less chemical solution.



DRAMM

FEATURES:

- Multi-Purpose Hydraulic Sprayer
- Applies most chemical formulations
- Electric or 4 cycle Honda gasoline engine
- Spray Distance: 20' stream, 10' mist

Model	MSO	MSO-GAS #2
Chemical Output Rate:	up to 0.5 gpm	up to 1.8 gpm
Maximum Pressure:	up to 500 psi	up to 350 psi
Compressor HP:	1/4 hp electric	1/2 hp Honda gas
Drive System:	direct drive	direct drive w/clutch
Cord Length:	8'	--
Weight:	28 lbs.	30 lbs.

Stock No.	Description	Price/Each
220-6MSO500D	MSO Heavy Duty Sprayer <i>Includes: MSO HD sprayer, 33' discharge hose, trigger gun & suction hose.</i>	\$625.00
220-6MSO503D	MSO Sprayer 33' Package <i>Includes: MSO HD sprayer, 33' discharge hose, trigger gun, 20 gal tank & cart.</i>	925.00
220-6MSO501D	MSO Sprayer 100' Package <i>Includes: MSO HD sprayer, 100' discharge hose, trigger gun, 20 gal tank & cart with reel.</i>	1298.00
220-6MSOG50D	MSO-Gas #2 Gasoline Power Sprayer <i>Includes: 4-stroke Honda Engine, 66' discharge hose, trigger gun, and suction hose.</i>	795.00
220-6MSOG510D	MSO20GAS-66 Package <i>Includes: 66' discharge hose, trigger-style gun, suction hose, sprayer cart and 20 gal tank.</i>	\$1109.00

Custom features available. Call for complete information and pricing. F.O.B. Wisconsin.

DRAMM MSO SPRAYERS



MSO HD COMPLETE PACKAGE

DRAMM HYDRA HYDRUALIC SPRAYERS

DRAMM

The Dramm HYDRA Line of sprayers capitalizes on years of experience in chemical applicator design. Several sizes of the Hydra are available from the just redesigned 50 gallon HYDRA to the 100 gallon SprayTrax unit. Each unit in the HYDRA family uses our stainless inner sleeved, triplex piston pump coupled to either a 1.5 HP electric TEFC motor or a 5.5 HP Honda gasoline motor.

FEATURES:

- High volume hydraulic sprayer
- 50 or 100 gallon chemical tanks
- Applies most chemical formulations
- Variety of droplet sizes and spray distances
- Variable drag reels



HYDRA-ST50

HYDRA-ST100

Model:	HYDRA	HYDRA-ST50	HYDRA-ST100	HYDRA-SKID
Chemical Tank Volume:	50 gal	50 gal	100 gal	100 gal
Chemical Output Rate:	up to 4 gpm	Electric 3.8 gpm Gas 7.6 gpm	up to 7 gpm	up to 7 gpm
Maximum Pressure:	up to 500psi	up to 500psi	up to 500psi	up to 500 psi
Pump HP:	1.5 hp electric	1.5 hp electric or 5.5 hp Honda gas	5.5 hp Honda gas	5.5 hp Honda gas
Hose Length:	150'	250'	250' or optional 2 - 250'	2 - 250'
Dimensions:	26"	33"	38"	38"
Shipping Weight:	315	400 or 408 (gas)	-	-

Custom features available, call for complete information and pricing. F.O.B. Wisconsin.



SIEBRING SPRAYERS

FOX SPRAYER



- 800 psi
- 3 gpm
- 100' of 3/8" hose
- 35 gal tank
- 120 volt, 1.5 hp electric
- CAT pump
- Quick adjust pressure control
- Fluid filled gauge
- 2 guns for misting & drenching
- Reel capacity is 200' of 3/8" hose
- All fittings are quick coupled
- 22" cart clearance
- 90 degree aisle turns
- 10" easy ride tires
- "Chemical saver" tank shut-off valve
- "High Action" recirculating tank agitation
- Tapered bottom tank for complete drainability
- Tank is removable
- Easy change tongues allow for hand maneuvering or for small vehicle transporting

MISTER DRENCH SPRAYERS



- 800 psi
- 3 gpm
- 100' of 3/8" hose
- 55, 60, 100 or 200 gal tank
- 120 volt, 1.5 hp electric or 4 hp Honda gas engine
- Wire braid hose
- Constant agitation for wettable powders in the tank
- Towing tongue
- 2 guns, quick coupled
- Quick connect for draining or washing polyethylene tank
- Balloon tires for easy roll on gravel or concrete
- Ball bearing mounted hose reel for 250' payout and rewind
- Drenching crook & 18" extension

KRUSER SPRAYERS



- 750 psi
- 1.5 gpm
- 25 gallon tank
- 120 volt 1 hp electric or 4 hp Honda gas engine
- CAT pump
- 25' electric cord
- 25' x 1/4" hose (wire braid)
- 10" tires
- Bottom drain tank
- Sump in tank that recirculates for maximum usage
- Includes a mist nozzle assembly
- 18" wand
- High pressure gun
- Constant agitation suspends wettable powders

FOAM-MATE FOAMERS

The new Foam-Mate Foamers from Siebring Mfg. are a unique accessory for our sprayers allowing the user to apply Green-Shield Disinfectant & Algicide* more effectively. The backpack assembly includes a sprayer gun connected to the 2 gallon tank containing Green-Shield* concentrate. The gun connects to a 800 psi, 3 gallon/minute sprayer containing clear water. The tank is carried by a backpack harness. Vertical and horizontal surfaces cover and hold "wet contact" with the Green-Shield* on surfaces 3 to 4 times longer than with ordinary application. The Siebring Fox and Mist 'R Drench Sprayers are ideal companions for the Foam-Mate System.

Stock No.	Description	Price
2202130	Fox Sprayer, 1.5 hp electric motor, 35 gal tank	\$2965.00
2202132	Fox Sprayer, 4 hp Honda gas engine, 35 gal tank	3165.00
2202138	MD83BW Mister Drench Big Wheel, electric motor, 60 gal horizontal tank	3515.00
2202140	MD83BWG Mister Drench Big Wheel, 4 hp Honda gas engine, 60 gal horizontal tank	3705.00
2202102	KS750-100 Kruser 750-120 volt, 1HP electric motor, 25 gal tank, 100' hose w/reel	1980.00
2202104	KS750-G100 Kruser 750-4 hp Honda gas engine, 25 gal tank, 100' hose w/reel	2290.00
2202180	Foam-Mate attachment (compatible with Fox and Mister Drench Sprayers)	290.00

Optional equipment available, call for information and pricing. F.O.B. Iowa.

SIEBRING

